

4-port PS/2 Desktop KVM Switch with push button and keyboard hotkey control

UKV-204 Desktop KVM Switch




The UKV-204 Desktop KVM Switch is designed to let you easily manage 4 computers using only one keyboard, monitor and mouse. It offers reliable KVM Switching operation to facilitate your management of 4 computers. Users can appreciate the convenience and efficiency it can give while using this Desktop KVM Switch.

Compact and Light-weight with full function for individual and SOHO users

The UKV-204 Desktop KVM switch is light-weight and compact, especially suitable for use on individual or SOHO desktop. It is cost-effective and supports PS/2 style PC and laptops as well. An all-plastic outer case design offers a slick outlook that sits perfectly on your desktop.

Features

- Access and control 4 PCs using one keyboard, video and mouse
- PS/2 keyboard and mouse control
- Support Logitech NetMouse®, Microsoft IntelliMouse®, IntelliMouse Explorer® or other compatibles
- Support DOS, Windows 3.x/95/98/SE/ME/2000/XP, Unix, Linux
- Hot-plugging PCs for maintenance without powering down the KVM Switch or PCs
- Channel selection by push button and keyboard hotkeys
- Plug-and-play, no Windows driver software needed
- Buzzer sound for port switching confirmation
- Keyboard/Mouse state saved and restored when switching port
- LED indicators for easy status monitoring
- High VGA resolution up to 1920 x 1440 pixels
- PS/2 interface power



Specifications

Model No.	UKV-204
PC Port	4
Console Port	1
PC Port Connectors (All female)	4 x PS/2 Keyboard 6-pin Mini Din female 4 x PS/2 Mouse 6 pin Mini Din female 4 x VGA HDB 15 pin female
Console Port Connectors (All female)	1 x PS/2 Keyboard 6-pin Mini Din female 1 x PS/2 Mouse 6 pin Mini Din female 1 x VGA HDB 15 pin female
PC selection	Hotkeys / Push button
PC port LED	4
Keyboard/Mouse emulation	PS/2
VGA Resolution	1920 x 1440
Power Type	PS/2 Interface Power
Power Adapter	(Optional) 9V 500mA
Size	Desktop
Housing	Plastic
Dimension (L x W x H)	205 × 76 × 44 mm
Weight	320 g
Safety / Emission	FCC, CE